

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"20040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 13:48
L2	3	"20040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 13:54
L3	3	"20010056404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 13:55
L4	2	("20010056404" "20040039905" "20020007456") and (unencrypt\$3 plain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:55
L5	2	("20010056404" "20040039905" "20020007456") and (unencrypt\$3 plain clear)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:56
L6	2	"20050060542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:56
L7	2	("20010056404" "20040039905" "20020007456") and (unencrypt\$3 non- encrypted plain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:00
L8	7394	@ad<"20030912" and (unencrypt\$3 non- encrypted plain clear) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:01
L9	53	@ad<"20030912" and (unencrypt\$3 non- encrypted plain clear) with (encrypt\$3) same (obvious)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:02

L10	4	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) same (obvious) same (advantag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:02
L11	5	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) same (obvious) same (advantag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:02
L12	40	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) same faster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:05
L13	488	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with (decid\$3 choos\$3 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:09
L14	450	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:10
L15	80	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with (select\$3 choos\$3) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:10
L16	41	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with (choos\$3 decid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:11
L17	3	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with (choos\$3 decid\$3) and (digital adj right adj management)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:13
L18	705	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:24

L19	0	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with time with efficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:24
L20	16	@ad<"20030912" and (unencrypt\$3 non-encrypted plain clear) with (encrypt\$3) with efficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:24
L21	1130	@ad<"20030912" and (unencrypt\$3 non-encrypted "plain text" plaintext clear) with (encrypt\$3) with (send\$3 transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:26
L22	250	@ad<"20030912" and (unencrypt\$3 non-encrypted "plain text" plaintext clear) with (send \$3 transfer\$4) with (faster fast efficient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:26
L23	17	@ad<"20030912" and (unencrypt\$3 non-encrypted "plain text" plaintext) with (send\$3 transfer\$4) with (faster fast efficient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:27
L24	68	"5838790"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 14:54
L25	584	713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:14
S1	2	"20050060542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 13:40
S2	3	"20020108050"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:24

S3	50	"6398245"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:24
S4	22	england.in. and (black adj box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:33
S5	11967	key same (location address) same content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:49
S6	3283	key with (location address) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:50
S7	2322	key with (location address) with content and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:51
S8	61	key with (location address) with content and @ad<"20030912" and location with ("near" proximity close closest) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:53
S9	52	key with (location address) with content and @ad<"20030912" and location with ("near" proximity close closest) with content and (request \$3 with (media content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:54
S10	10	@ad<"20030912" and (location with ("near" proximity close closest) with content) same (key with (location address) with content) and (request \$3 with (media content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:00
S11	0	"0040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:00

S12	2	"20040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:10
S13	5	2002/0007456 and request \$3 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:10
S14	2	"20020007456" and request\$3 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:12
S15	2	"20020007456" and request\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:16
S16	878	@ad< "20030912" and (location address) near3 content with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:17
S17	76	@ad< "20030912" and (location address) near3 content with key with (send\$3 transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:43
S18	1	@ad< "20030912" and (location address) near3 (content adj server) with key with (send\$3 transmit \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:44
S19	13	@ad< "20030912" and (location address) near3 (content adj server) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:33
S20	217	@ad< "20030912" and key with expir\$6 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:14
S21	16	@ad< "20030912" and (location address) near3 (content adj server) with (key license)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:33

S22	3	S21 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:38
S23	0	"20020007456" and kernel same cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:38
S24	0	"20020007456" and kernel same reproduc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:39
S25	0	"20020007456" and kernel with rights	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:40
S26	73	@ad< "20030912" and (emulat\$3 with driver with media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:10
S27	15	@ad< "20030912" and (emulation with driver with media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:13
S28	77	@ad< "20030912" and emulation adj2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:14
S29	4	@ad< "20030912" and emulation adj2 driver same benefit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:46
S30	434	713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:46
S31	222	secure adj execution adj environment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 09:49

S32	3	"20020002468"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:02
S33	2	"20050060542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 14:06
S34	28	shim adj driver and @ad< "20030915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:07
S35	27	shim adj driver and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:16
S36	3	"20020007456"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:17
S37	2	"20030014496"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:18
S38	3	"20020007456"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 14:40
S39	745	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 14:40
S40	838	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 10:46
S41	46	@ad< "20030912" and DRM and content with determin\$3 near2 (location address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 10:46

S42	33	@ad<"20030912" and DRM and content with determin\$3 near2 (location address) same (source server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 10:49
S43	75	@ad<"20030912" and default with driver with media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:08
S44	2	@ad<"20030912" and default with driver with media same (benefi\$4 advantag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:08
S45	2	@ad<"20030912" and default with driver with media and drm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:10
S46	75	@ad<"20030912" and default with driver with media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:14
S47	6	@ad<"20030912" and default with driver with media same emulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:15
S48	12	@ad<"20030912" and default with driver with media and emulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:17
S49	6	@ad<"20030912" and default with driver with media and emulat\$3 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:17
S50	29	@ad<"20030912" and default with driver near3 media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:37
S51	13	@ad<"20030912" and default near4 driver near3 media	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:37



S52	7	@ad<"20030912" and default near4 driver near3 media not risan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:37
S53	62	@ad<"20030912" and emulat\$4 near4 emulat\$4 near4 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:54
S54	1	@ad<"20030912" and emulat\$4 near4 emulat\$4 near4 driver and drm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:55
S55	62	@ad<"20030912" and emulat\$4 near4 emulat\$4 near4 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:55
S56	2	@ad<"20030912" and emulat\$4 near4 emulat\$4 near4 driver same (benefi \$4 advantag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 11:55
S57	534	713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 14:06

11/ 17/ 2008 3:16:53 PM

C:\ Documents and Settings\jgee\ My Documents\ EAST\ Workspaces\ 10661047.wsp